

1 CHECKING FOR RESPONSIVENESS | CHECKING FOR BREATHING

TIP: Use disposable gloves and other personal protective equipment, always check scene for safety first, and obtain consent whenever possible.

✚ Check for Responsiveness

Gently shake and shout “Are you OK?”

✚ Call 911

- If an unconscious person is face-down, roll face-up, supporting the head, neck and back in a straight line.

✚ Check for Breathing

Check quickly for breathing for no more than 10 seconds. Occasional gasps are not breathing.

✚ If Person Not Breathing

Bare chest and begin CPR with cycles of 30 compressions and 2 breaths. Apply and use the AED as soon as it's available.



2 USING AN AED (AUTOMATED EXTERNAL DEFIBRILLATOR)

✚ POWER on AED

Follow the voice and/or visual prompts.

✚ ATTACH Pads

- Use diagram on pads to place pads correctly on person's chest.
- For adults, place one pad on the person's upper right chest and the other on the person's lower left side.

TIP: Use Pediatric pads if available on children under 8. If unavailable, use adult pads.

✚ ANALYZE the Heart Rhythm

- Make sure no one, including you, is touching the person.
- Allow the AED to analyze the Heart Rhythm.

✚ SHOCK If SHOCK IS ADVISED:

- Make sure no one, including you, is touching the person.
- Say, “EVERYONE, STAND CLEAR.”
- Push the “SHOCK” button, if necessary.

✚ Resume CPR Immediately

After delivering the shock, or if no shock is advised:

- Leave pads in place and perform 5 cycles (about 2 minutes) of CPR before reanalyzing.



3 PERFORMING CPR

✚ Give 30 Chest Compressions

Push hard and fast in the middle of the chest, 2 to 2.4 inches deep and at a rate of 100 to 120 compressions per minute.

TIP: Person must be on firm, flat surface.

✚ Give 2 Rescue Breaths

- Tilt the head back and lift the chin up.
- Pinch the nose shut then make a complete seal over the person's mouth.
- Blow in for about 1 second to make the chest clearly rise.
- Give 2 rescue breaths, one after the other.

NOTE: If chest does not rise with rescue breaths, retilt the head and give another rescue breath.



✚ Continue CPR

- Continue cycles of 30 compressions and 2 breaths
- Reassess after every 5 cycles (or about 2 minutes)
- Continue to follow the prompts of the AED

OUSD—Canyon Rim Elementary School

Canyon Rim Elementary School 2014/15 Classroom Map

AED Coordinator Julie Follen

Date: 3/10/16

51 Haitbrink 5 th	52 Brooks 5 th	53 Lapchak 5 th	54 Botts 6 th	55 Davidson 6 th	56 Sokoloff 6 th	57 Erickson RSP
------------------------------------	---------------------------------	----------------------------------	--------------------------------	-----------------------------------	-----------------------------------	-----------------------

31 Meek SDC 1 st , 2 nd , 3 rd	32 Hall SDC 4 th , 5 th , 6 th	33 Belletto SDC 4 th , 5 th , 6 th
--	--	--

41 School Age Care	42 Mental Health & School Age Care
--------------------------	--

K1 Coulter TK	K2 Mann K
---------------------	-----------------

17 Mar 1 st	18 Johnson 1 st
15 Beusan K	16 Berg 1 st
13 Hughes K	14 RTI
11 Augustine Pinkerton 2 nd	12 Budd 2 nd

27 Ricupito 2 nd /3 rd	28 Henderson 3 rd
25 Kennedy Sp	26 Clasen 3 rd
23 Sacks 4 th	24 Kim 4 th
21 DeLaCruz 4 th	22 Yee 3 rd /4 th

Lunch Shelter
Multi-Purpose Room

Tobacco-free
canyon rim elementary

Tobacco-free



AED /CPR TRAINING OPPORTUNITIES: Please contact Risk Management for training schedule at 714.628.5390



AFTER AN INCIDENT: Contact Risk Management at 714.628.5390 when an AED has been used.