

# 1

## CHECKING FOR RESPONSIVENESS | CHECKING FOR BREATHING

**TIP:** Use disposable gloves and other personal protective equipment, always check scene for safety first, and obtain consent whenever possible.

### ✚ Check for Responsiveness

Gently shake and shout “Are you OK?”

### ✚ Call 911

- If an unconscious person is face-down, roll face-up, supporting the head, neck and back in a straight line.

### ✚ Check for Breathing

Check quickly for breathing for no more than 10 seconds. Occasional gasps are not breathing.

### ✚ If Person Not Breathing

Bare chest and begin CPR with cycles of 30 compressions and 2 breaths. Apply and use the AED as soon as it's available.



# 2

## USING AN AED (AUTOMATED EXTERNAL DEFIBRILLATOR)

### ✚ POWER on AED

Follow the voice and/or visual prompts.

### ✚ ATTACH Pads

- Use diagram on pads to place pads correctly on person's chest.
- For adults, place one pad on the person's upper right chest and the other on the person's lower left side.

**TIP:** Use Pediatric pads if available on children under 8. If unavailable, use adult pads.

### ✚ ANALYZE the Heart Rhythm

- Make sure no one, including you, is touching the person.
- Allow the AED to analyze the Heart Rhythm.

### ✚ SHOCK If SHOCK IS ADVISED:

- Make sure no one, including you, is touching the person.
- Say, “EVERYONE, STAND CLEAR.”
- Push the “SHOCK” button, if necessary.

### ✚ Resume CPR Immediately

After delivering the shock, or if no shock is advised:

- Leave pads in place and perform 5 cycles (about 2 minutes) of CPR before reanalyzing.



# 3

## PERFORMING CPR

### ✚ Give 30 Chest Compressions

Push hard and fast in the middle of the chest, 2 to 2.4 inches deep and at a rate of 100 to 120 compressions per minute.

**TIP:** Person must be on firm, flat surface.

### ✚ Give 2 Rescue Breaths

- Tilt the head back and lift the chin up.
- Pinch the nose shut then make a complete seal over the person's mouth.
- Blow in for about 1 second to make the chest clearly rise.
- Give 2 rescue breaths, one after the other.


**NOTE:** If chest does not rise with rescue breaths, retilt the head and give another rescue breath.



### ✚ Continue CPR

- Continue cycles of 30 compressions and 2 breaths
- Reassess after every 5 cycles (or about 2 minutes)
- Continue to follow the prompts of the AED

# OUSD—La Veta Elementary School



AED /CPR TRAINING OPPORTUNITIES: Please contact Risk Management for training schedule at 714.628.5390



AFTER AN INCIDENT: Contact Risk Management at 714.628.5390 when an AED has been used.